

Hazardous Gases and Vapors

GROUP CLASSIFICATION AND AUTO-IGNITION TEMPERATURE TABLE

Material	Group	°F	°C	Material	Group	°F	°C
Acetaldehyde	C*	347	175	Cyclohexane	D	473	245
Acetic acid	D*	867	464	Cyclohexene	D	471	244
Acetic anhydride	D	600	316	Cyclohexanol	D	572	300
Acetone	D*	869	465	Cyclohexanone	D	473	245
Acetone cyanohydrin	D	1270	688	Cyclopropane	D*	938	503
Acetonitrile	D	975	524	p-Cymene	D	817	436
Acetylene	A*	581	305	n-Decanol	D	550	288
Acrolein (inhibited)	B*	455	235	Decene	D	455	235
Acrylic acid	D	820	438	Diacetone alcohol	D	1118	603
Acrylonitrile	D*	898	481	o-Dichlorobenzene	D	1198	647
Allyl alcohol	C*	713	378	1.1 Dichloroethane	D	820	438
Allyl chloride	D	905	485	1.2 Dichloroethylene	D	860	460
Ammonia	D*	928	498	Dicyclopentadiene	C	937	503
n-Amyl acetate	D	680	360			743-	395-
Aniline	D	1139	615	Diethyl benzene	D	842	450
Benzene	D*	928	498	Diethylene glycol monobutyl ether	C	442	228
Benzyl chloride	D	1085	585	Diethylene glycol monomethyl ether	C	465	241
1,3-Butadiene	B*	788	420	Diethylamine	C*	594	312
Butane	D*	550	288	Diethyl ether	C*	320	160
1-Butanol	D*	650	343	N-N-Dimethyl aniline	C	700	371
2-Butanol	D*	761	405	Di-isobutylene	D*	736	390
n-Butyl acetate	D*	790	421	Di-isobutyl ketone	D	745	396
iso-Butyl acetate	D*	790	421	Di-isopropylamine	C	600	316
n-Butyl acrylate (inhibited)	D	559	293	Dimethylamine	C	752	400
Butylamine	D	594	312	Dimethyl formamide	D	833	455
Butylene	D	725	385	Dimethyl sulfate	D	370	188
n-Butyraldehyde	C*	425	218	1.4-Dioxane	C	356	180
n-Butyric acid	D	830	443	Dipentene	D	458	237
Carbon monoxide	C*	1128	609	Di-N-propylamine	C	570	299
Chlorobenzene	D	1099	593	Dodecene	D	491	255
		1038-	559-	Epichlorohydrin	C*	772	411
Cresol	D	1110	599	Ethane	D*	882	472
Crotonaldehyde	C*	450	232	Ethanol	D*	685	363
Cumene	D	795	424	Ethyl acetate	D*	800	427

FOR HEATTRACER TECHNICAL ASSISTANCE CALL 1-800-663-6873 (NORTH AMERICA ONLY) OR +1.780.413.1774

Trace Heating Redefined

DREXAN ENERGY SYSTEMS OFFERS THE MOST TECHNOLOGICALLY ADVANCED AND STRINGENTLY MANUFACTURED TRACE HEATING SYSTEMS THAT PROVIDE OUTSTANDING COST SAVINGS IN ENGINEERED DESIGN AND FIELD INSTALLATION.



Material	Group	°F	°C	Material	Group	°F	°C	Material	Group	°F	°C
Ethyl acrylate (inhibited)	D*	702	372	Isobutyl acrylate	D	800	427	Nitrobenzene	D	900	482
Ethylamine	D	725	385	Isobutyraldehyde	C	385	196	Nitroethane	C	778	414
Ethyl benzene	D	810	432	Isophorone	D	860	460	Nitromethane	C	785	418
Ethyl chloride	D	966	519	Isoprene	D*	428	220	1-Nitropropane	C	789	421
Ethylene	C*	842	450	Isopropyl acetate	D	860	460	2-Nitropropane	C*	802	428
Ethylene chlorohydrin	D	797	425	Isoamyl alcohol	D	662	350	Nonane	D	401	205
Ethylene glycol monobutyl ether	C	460	238	Isopropylamine	D	756	402	Octane	D*	403	206
Ethylene glycol monobutyl ether acetate	C	645	340	Isopropyl ether	D*	830	443	Octene	D	446	230
Ethylenediamine	D*	725	385	Iso-octyl aldehyde	C	387	197	Pentane	D*	470	243
Ethylene dichloride	D*	775	413	Kerosene	D	410	210	1-Pentanol	D*	572	300
Ethylene glycol monoethyl ether	C	455	235	Liquefied petroleum gas	D	761-842	405-450	2-Pentanone	D	846	452
Ethylene glycol monoethyl ether acetate	C	715	379	Mesityl oxide	D*	652	344	1-Pentene	D	527	275
Ethylene glycol monomethyl ether	D	545	285	Methane	D*	999	537	Propane	D*	842	450
Ethylenimine	C*	608	320	Methanol	D*	725	385	1-Propanol	D*	775	413
Ethylene oxide	B*	804	429	Methyl acetate	D	850	454	2-Propanol	D*	750	399
Ethyl formate	D	851	455	Methyl acrylate	D	875	468	Propionaldehyde	C	405	207
2-Ethylhexaldehyde	C	375	191	Methylamine	D	806	430	Propionic acid	D	870	466
2-Ethyl hexanol	D	448	231	Methyl n-amyl ketone	D	740	393	Propionic anhydride	D	545	285
2-Ethyl hexyl acrylate	D	485	252	Methylcyclohexane	D	482	250	n-Propyl acetate	D	842	450
Ethyl mercaptan	C*	572	300	Methylcyclohexanol	D	565	296	Propylene	D*	851	455
Formaldehyde (gas)	B	795	424	Methyl ether	C*	662	350	Propylene dichloride	D*	1035	557
Formic acid (90%)	D	813	434	Methyl ethyl ketone	D*	759	404	Propylene oxide	B*	840	449
Fule oils	D	410-765	210-407	Methyl formal	C*	460	238	n-Propyl ether	C	419	215
Furfural	C	600	316	Methyl formate	D	840	449	Propyl nitrate	B*	347	175
Furfuryl alcohol	C	915	490	Methyl isobutyl ketone	D*	840	449	Pyridine	D*	900	482
Gasoline	D*	536-880	280-471	Methyl isocyanate	D	994	534	Styrene	D*	914	490
Heptane	D*	399	204	Methyl methacrylate	D	792	422	Tetrahydrofuran	C*	610	321
Heptene	D	500	260	2-Methyl-1-propanol	D*	780	416	Tetrahydronaphthalene	D	725	385
Hexane	D*	437	225	2-Methyl-2-propanol	D*	892	478	Toluene	D*	896	480
2-Hexanone	D	795	424	alpha-Methyl styrene	D	1066	574	Turpentine	D	488	253
Hexene	D	473	245	Monoethanolamine	D	770	410	Unsymmetrical dimethyl hydrazine (UDMH)	C*	480	249
Hydrazine	C	74-518	23-270	Monoisopropanolamine	D	705	374	Valeraldehyde	C	432	222
Hydrogen	B*	968	520	Monomethyl aniline	C	900	482	Vinyl acetate	D*	756	402
Hydrogen cyanide	C*	1000	538	Monomethyl hydrazine	C	382	194	Vinyl chloride	D*	882	472
Hydrogen sulfide	C*	500	260	Morpholine	C*	590	310	Vinylidene chloride	D	1058	570
Isoamyl acetate	D	680	360	Naphtha (coal tar)	D	531	277	Vinyl toluene	ti	921	494
								Xylenes	D*	867-984	464-529

*Material has been classified by test